Acthar GEL

(repository corticotropin injection) 80 U/mL

POSSIBLE RELEVANT ICD-10 CODES*

*This may not be an exhaustive list.

RHEUMATOLOGY

INDICATIONS

Acthar Gel is indicated for:

- Treatment during an exacerbation or as maintenance therapy in selected cases of systemic lupus erythematosus
- Treatment during an exacerbation or as maintenance therapy in selected cases of dermatomyositis (polymyositis)
- Adjunctive therapy for short-term administration (to tide the patient over an acute episode or exacerbation) in: psoriatic arthritis; rheumatoid arthritis, including juvenile arthritis (selected cases may require low-dose maintenance therapy); ankylosing spondylitis
- · Symptomatic sarcoidosis

Psoriatic Arthritis

L40.50 Arthropathic psoriasis, unspecified

L40.51 Distal interphalangeal psoriatic arthropathy

L40.52 Psoriatic arthritis mutilans

L40.53 Psoriatic spondylitis

L40.54 Psoriatic juvenile arthropathy

L40.59 Other psoriatic arthropathy

Dermatologic

L51.0 Nonbullous erythema multiforme

L51.1 Stevens-Johnson syndrome

L51.3 Stevens-Johnson syndrome-toxic epidermal necrolysis overlap syndrome

L51.8 Other erythema multiforme

L51.9 Erythema multiforme, unspecified

Rheumatoid Arthritis

M05.40 Rheumatoid myopathy with rheumatoid arthritis of unspecified site

M05.411 Rheumatoid myopathy with rheumatoid arthritis of right shoulder

M05.412 Rheumatoid myopathy with rheumatoid arthritis of left shoulder

M05.419 Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder

M05.421 Rheumatoid myopathy with rheumatoid arthritis of right elbow

M05.422 Rheumatoid myopathy with rheumatoid arthritis of left elbow

M05.429 Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow

M05.431 Rheumatoid myopathy with rheumatoid arthritis of right wrist

M05.432 Rheumatoid myopathy with rheumatoid arthritis of left wrist

M05.439 Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist

M05.441 Rheumatoid myopathy with rheumatoid arthritis of right hand

M05.442 Rheumatoid myopathy with rheumatoid arthritis of left hand

M05.449 Rheumatoid myopathy with rheumatoid arthritis of unspecified hand

M05.451 Rheumatoid myopathy with rheumatoid arthritis of right hip

M05.452 Rheumatoid myopathy with rheumatoid arthritis of left hip

M05.459 Rheumatoid myopathy with rheumatoid arthritis of unspecified hip

M05.461 Rheumatoid myopathy with rheumatoid arthritis of right knee

M05.462 Rheumatoid myopathy with rheumatoid arthritis of left knee

M05.469 Rheumatoid myopathy with rheumatoid arthritis of unspecified knee

M05.471 Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot

M05.472 Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot

M05.479 Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot

M05.49 Rheumatoid myopathy with rheumatoid arthritis of multiple sites

M05.60 Rheumatoid arthritis of unspecified site with involvement of other organs and systems

M05.611 Rheumatoid arthritis of right shoulder with involvement of other organs and systems

M05.612 Rheumatoid arthritis of left shoulder with involvement of other organs and systems

M05.619 Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems

M05.621 Rheumatoid arthritis of right elbow with involvement of other organs and systems

M05.622 Rheumatoid arthritis of left elbow with involvement of other organs and systems

M05.629 Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems M05.631 Rheumatoid arthritis of right wrist with involvement of other organs and systems

M05.632 Rheumatoid arthritis of left wrist with involvement of other organs and systems

M05.639 Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems

M05.641 Rheumatoid arthritis of right hand with involvement of other organs and systems

M05.642 Rheumatoid arthritis of left hand with involvement of other organs and systems

M05.649 Rheumatoid arthritis of unspecified hand with involvement of other organs and systems

M05.651 Rheumatoid arthritis of right hip with involvement of other organs and systems

M05.652 Rheumatoid arthritis of left hip with involvement of other organs and systems

M05.659 Rheumatoid arthritis of unspecified hip with involvement of other organs and systems

M05.661 Rheumatoid arthritis of right knee with involvement of other organs and systems

M05.662 Rheumatoid arthritis of left knee with involvement of other organs and systems

M05.669 Rheumatoid arthritis of unspecified knee with involvement of other organs and systems **M05.671** Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems

M05.672 Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems

M05.679 Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems

M05.69 Rheumatoid arthritis of multiple sites with involvement of other organs and systems

M05.70 Rheumatoid arthritis with rheumatoid factor of unspecified site without organ or systems involvement

M05.711 Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement

M05.712 Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement

M05.719 Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement

M05.721 Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement

M05.722 Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement

SELECT IMPORTANT SAFETY INFORMATION

Contraindications

Acthar is contraindicated:

- For intravenous administration
- In infants under 2 years of age who have suspected congenital infections
- With concomitant administration of live or live attenuated vaccines in patients receiving immunosuppressive doses of Acthar
- In patients with scleroderma, osteoporosis, systemic fungal infections, ocular herpes simplex, recent surgery, history of or the presence of a peptic ulcer, congestive heart failure, uncontrolled hypertension, primary adrenocortical insufficiency, adrenocortical hyperfunction, or sensitivity to proteins of porcine origin



*This may not be an exhaustive list.

RHEUMATOLOGY, Continued

Rheumatoid Arthritis, cont'd

M05.729 Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement

M05.731 Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement

M05.732 Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement

M05.739 Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement

M05.741 Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement

M05.742 Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement

M05.749 Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement

M05.751 Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement

M05.752 Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement

M05.759 Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement

M05.761 Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement M05.762 Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement

M05.769 Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement

M05.771 Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement

M05.772 Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement

M05.779 Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement

M05.79 Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement

M05.80 Other rheumatoid arthritis with rheumatoid factor of unspecified site

M05.811 Other rheumatoid arthritis with rheumatoid factor of right shoulder

M05.812 Other rheumatoid arthritis with rheumatoid factor of left shoulder

M05.819 Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder

M05.821 Other rheumatoid arthritis with rheumatoid factor of right elbow

M05.822 Other rheumatoid arthritis with rheumatoid factor of left elbow

M05.829 Other rheumatoid arthritis with rheumatoid factor of unspecified elbow

M05.831 Other rheumatoid arthritis with rheumatoid factor of right wrist

M05.832 Other rheumatoid arthritis with rheumatoid factor of left wrist

M05.839 Other rheumatoid arthritis with rheumatoid factor of unspecified wrist

M05.841 Other rheumatoid arthritis with rheumatoid factor of right hand

M05.842 Other rheumatoid arthritis with rheumatoid factor of left hand

M05.849 Other rheumatoid arthritis with rheumatoid factor of unspecified hand

M05.851 Other rheumatoid arthritis with rheumatoid factor of right hip

M05.852 Other rheumatoid arthritis with rheumatoid factor of left hip

M05.859 Other rheumatoid arthritis with rheumatoid factor of unspecified hip

M05.861 Other rheumatoid arthritis with rheumatoid factor of right

M05.862 Other rheumatoid arthritis with rheumatoid factor of left knee

M05.869 Other rheumatoid arthritis with rheumatoid factor of unspecified knee

M05.871 Other rheumatoid arthritis with rheumatoid factor of right ankle and foot **M05.872** Other rheumatoid arthritis with rheumatoid factor of left ankle and foot

M05.879 Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot

M05.89 Other rheumatoid arthritis with rheumatoid factor of multiple sites

M05.9 Rheumatoid arthritis with rheumatoid factor, unspecified

M06.00 Rheumatoid arthritis without rheumatoid factor, unspecified site

M06.011 Rheumatoid arthritis without rheumatoid factor, right shoulder

M06.012 Rheumatoid arthritis without rheumatoid factor, left shoulder

M06.019 Rheumatoid arthritis without rheumatoid factor, unspecified shoulder

M06.021 Rheumatoid arthritis without rheumatoid factor, right elbow

M06.022 Rheumatoid arthritis without rheumatoid factor, left elbow

M06.029 Rheumatoid arthritis without rheumatoid factor, unspecified elbow

M06.031 Rheumatoid arthritis without rheumatoid factor, right

M06.032 Rheumatoid arthritis without rheumatoid factor, left wrist

M06.039 Rheumatoid arthritis without rheumatoid factor, unspecified wrist

M06.041 Rheumatoid arthritis without rheumatoid factor, right hand

M06.042 Rheumatoid arthritis without rheumatoid factor, left hand

M06.049 Rheumatoid arthritis without rheumatoid factor, unspecified hand

M06.051 Rheumatoid arthritis without rheumatoid factor, right hip

M06.052 Rheumatoid arthritis without rheumatoid factor, left hip

M06.059 Rheumatoid arthritis without rheumatoid factor, unspecified hip

M06.061 Rheumatoid arthritis without rheumatoid factor, right knee

M06.062 Rheumatoid arthritis without rheumatoid factor, left knee

M06.069 Rheumatoid arthritis without rheumatoid factor, unspecified knee

M06.071 Rheumatoid arthritis without rheumatoid factor, right ankle and foot

M06.072 Rheumatoid arthritis without rheumatoid factor, left ankle and foot

M06.079 Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot

M06.08 Rheumatoid arthritis without rheumatoid factor, vertebrae

M06.09 Rheumatoid arthritis without rheumatoid factor, multiple sites

M06.80 Other specified rheumatoid arthritis, unspecified site

M06.811 Other specified rheumatoid arthritis, right shoulder

M06.812 Other specified rheumatoid arthritis, left shoulder

M06.819 Other specified rheumatoid arthritis, unspecified shoulder

M06.821 Other specified rheumatoid arthritis, right elbow

M06.822 Other specified rheumatoid arthritis, left elbow

M06.829 Other specified rheumatoid arthritis, unspecified elbow

M06.831 Other specified rheumatoid arthritis, right wrist

M06.832 Other specified rheumatoid arthritis, left wriet

M06.839 Other specified rheumatoid arthritis, unspecified wrist

M06.841 Other specified rheumatoid arthritis, right hand

M06.842 Other specified rheumatoid arthritis, left hand

M06.849 Other specified rheumatoid arthritis, unspecified hand

M06.851 Other specified rheumatoid arthritis, right hip

M06.852 Other specified rheumatoid arthritis, left

M06.859 Other specified rheumatoid arthritis, unspecified hip

M06.861 Other specified rheumatoid arthritis, right knee

M06.862 Other specified rheumatoid arthritis, left knee

SELECT IMPORTANT SAFETY INFORMATION

Warnings and Precautions

- The adverse effects of Acthar are related primarily to its steroidogenic effects
- Acthar may increase susceptibility to new infection or reactivation of latent infections
- Suppression of the hypothalamic-pituitary-adrenal (HPA) axis may occur following prolonged therapy with the potential for adrenal insufficiency after withdrawal of the medication. Adrenal insufficiency may be minimized by tapering of the dose when discontinuing treatment. During recovery of the adrenal gland patients should be protected from the stress (e.g., trauma or surgery) by the use of corticosteroids. Monitor patients for effects of HPA axis suppression after stopping treatment



*This may not be an exhaustive list.

RHEUMATOLOGY, Continued

Juvenile Rheumatoid Arthritis

M06.869 Other specified rheumatoid arthritis, unspecified knee

M06.871 Other specified rheumatoid arthritis, right ankle and foot

M06.872 Other specified rheumatoid arthritis, left ankle and foot

M06.879 Other specified rheumatoid arthritis, unspecified ankle and foot

M06.88 Other specified rheumatoid arthritis, vertebrae

M06.89 Other specified rheumatoid arthritis, multiple sites

M06.9 Rheumatoid arthritis, unspecified

M08.00 Unspecified juvenile rheumatoid arthritis of unspecified site

M08.011 Unspecified juvenile rheumatoid arthritis, right shoulder

M08.012 Unspecified juvenile rheumatoid arthritis. left shoulder

M08.019 Unspecified juvenile rheumatoid arthritis, unspecified shoulder

M08.021 Unspecified juvenile rheumatoid arthritis, right elbow

M08.022 Unspecified juvenile rheumatoid arthritis, left elbow

M08.029 Unspecified juvenile rheumatoid arthritis, unspecified elbow

M08.031 Unspecified juvenile rheumatoid arthritis, right wrist

M08.032 Unspecified juvenile rheumatoid arthritis. left wrist

M08.039 Unspecified juvenile rheumatoid arthritis, unspecified wrist

M08.041 Unspecified juvenile rheumatoid arthritis, right hand

M08.042 Unspecified juvenile rheumatoid arthritis, left hand

M08.049 Unspecified juvenile rheumatoid arthritis, unspecified hand

M08.051 Unspecified juvenile rheumatoid arthritis, right hip

M08.052 Unspecified juvenile rheumatoid arthritis, left hip

M08.059 Unspecified juvenile rheumatoid arthritis, unspecified hip

M08.061 Unspecified juvenile rheumatoid arthritis, right knee

M08.062 Unspecified juvenile rheumatoid arthritis, left knee

M08.069 Unspecified juvenile rheumatoid arthritis, unspecified knee

M08.071 Unspecified juvenile rheumatoid arthritis, right ankle and

M08.072 Unspecified juvenile rheumatoid arthritis, left ankle and

M08.079 Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot

M08.08 Unspecified juvenile rheumatoid arthritis, vertebrae

M08.09 Unspecified juvenile rheumatoid arthritis, multiple sites

M08.20 Juvenile rheumatoid arthritis with systemic onset, unspecified site M08.211 Juvenile rheumatoid arthritis with systemic onset, right shoulder

M08.212 Juvenile rheumatoid arthritis with systemic onset, left shoulder

M08.219 Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder

M08.221 Juvenile rheumatoid arthritis with systemic onset, right elbow

M08.222 Juvenile rheumatoid arthritis with systemic onset, left elbow

M08.229 Juvenile rheumatoid arthritis with systemic onset, unspecified elbow

M08.231 Juvenile rheumatoid arthritis with systemic onset, right wrist

M08.232 Juvenile rheumatoid arthritis with systemic onset, left wrist

M08.239 Juvenile rheumatoid arthritis with systemic onset, unspecified wrist

M08.241 Juvenile rheumatoid arthritis with systemic onset, right hand

M08.242 Juvenile rheumatoid arthritis with systemic onset, left hand

M08.249 Juvenile rheumatoid arthritis with systemic onset, unspecified hand

M08.251 Juvenile rheumatoid arthritis with systemic onset, right hip

M08.252 Juvenile rheumatoid arthritis with systemic onset, left hip

M08.259 Juvenile rheumatoid arthritis with systemic onset, unspecified hip **M08.261** Juvenile rheumatoid arthritis with systemic onset, right knee

M08.262 Juvenile rheumatoid arthritis with systemic onset, left knee

M08.269 Juvenile rheumatoid arthritis with systemic onset, unspecified knee

M08.271 Juvenile rheumatoid arthritis with systemic onset, right ankle and foot

M08.272 Juvenile rheumatoid arthritis with systemic onset, left ankle and foot

M08.279 Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and

M08.28 Juvenile rheumatoid arthritis with systemic onset, vertebrae

M08.29 Juvenile rheumatoid arthritis with systemic onset, multiple sites

M08.3 Juvenile rheumatoid polyarthritis (seronegative)

M08.40 Pauciarticular juvenile rheumatoid arthritis, unspecified site

M08.411 Pauciarticular juvenile rheumatoid arthritis, right shoulder

M08.412 Pauciarticular juvenile rheumatoid arthritis, left shoulder

M08.419 Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder

M08.421 Pauciarticular juvenile rheumatoid arthritis, right elbow

M08.422 Pauciarticular juvenile rheumatoid arthritis, left elbow

M08.429 Pauciarticular juvenile rheumatoid arthritis, unspecified elbow

M08.431 Pauciarticular juvenile rheumatoid arthritis, right wrist

M08.432 Pauciarticular juvenile rheumatoid arthritis, left wrist

M08.439 Pauciarticular juvenile rheumatoid arthritis, unspecified wrist

M08.441 Pauciarticular juvenile rheumatoid arthritis, right hand

M08.442 Pauciarticular juvenile rheumatoid arthritis. left hand

M08.449 Pauciarticular juvenile rheumatoid arthritis, unspecified hand

M08.451 Pauciarticular juvenile rheumatoid arthritis, right hip

M08.452 Pauciarticular juvenile rheumatoid arthritis, left hip

M08.459 Pauciarticular juvenile rheumatoid arthritis, unspecified hip

M08.461 Pauciarticular juvenile rheumatoid arthritis, right knee

M08.462 Pauciarticular juvenile rheumatoid arthritis. left knee

M08.469 Pauciarticular juvenile rheumatoid arthritis, unspecified knee

M08.471 Pauciarticular juvenile rheumatoid arthritis, right ankle and foot

M08.472 Pauciarticular juvenile rheumatoid arthritis, left ankle and foot

M08.479 Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot

M08.48 Pauciarticular juvenile rheumatoid arthritis, vertebrae

Systemic Lupus Erythematosus

L93.0 Discoid lupus erythematosus

L93.2 Other local lupus erythematosus

M32.10 Systemic lupus erythematosus, organ or system involvement unspecified

M32.11 Endocarditis in systemic lupus erythematosus

M32.12 Pericarditis in systemic lupus erythematosus

M32.13 Lung involvement in systemic lupus erythematosus

M32.14 Glomerular disease in systemic lupus ervthematosus

M32.15 Tubulo-interstitial nephropathy in systemic lupus erythematosus

M32.19 Other organ or system involvement in systemic lupus erythematosus

M32.8 Other forms of systemic lupus erythematosus

M32.9 Systemic lupus erythematosus, unspecified

Dermatomyositis (Polymyositis)

M33.00 Juvenile dermatomyositis, organ involvement unspecified

M33.01 Juvenile dermatomyositis with respiratory involvement

M33.02 Juvenile dermatomyositis with myopathy

M33.09 Juvenile dermatomyositis with other organ involvement

M33.10 Other dermatomyositis, organ involvement unspecified

SELECT IMPORTANT SAFETY INFORMATION

Warnings and Precautions cont'd

- Cushing's syndrome may occur during therapy but generally resolves after therapy is stopped. Monitor patients for signs and symptoms
- Acthar can cause elevation of blood pressure, salt and water retention, and hypokalemia. Monitor blood pressure and sodium and potassium levels
- Acthar often acts by masking symptoms of other diseases/disorders. Monitor patients carefully during and for a period following discontinuation of therapy



*This may not be an exhaustive list.

RHEUMATOLOGY, Continued

Dermatomyositis (Polymyositis), cont'd

M33.11 Other dermatomyositis with respiratory involvement

M33.12 Other dermatomyositis with myopathy

M33.13 Other dermatomyositis without myopathy

M33.19 Other dermatomyositis with other organ involvement

M33.20 Polymyositis, organ involvement unspecified

M33.21 Polymyositis with respiratory involvement

M33.22 Polymyositis with myopathy

M33.29 Polymyositis with other organ involvement

M33.90

Dermatopolymyositis, unspecified, organ involvement unspecified

M33.91

Dermatopolymyositis, unspecified with respiratory involvement

M33.92

Dermatopolymyositis, unspecified with myopathy

M33.93

Dermatopolymyositis, unspecified without myopathy

M33.99

Dermatopolymyositis, unspecified with other organ involvement

M36.0

Dermato(poly)myositis in neoplastic disease

T80.69XA Other serum reaction due to other serum, initial encounter

Ankylosing Spondylitis

M08.1 Juvenile ankylosing spondylitis

M45.0 Ankylosing spondylitis of multiple sites in spine

M45.1 Ankylosing spondylitis of occipito-atlanto-axial region

M45.2 Ankylosing spondylitis of cervical region

M45.3 Ankylosing spondylitis of cervicothoracic region

M45.4 Ankylosing spondylitis of thoracic region

M45.5 Ankylosing spondylitis of thoracolumbar region

M45.6 Ankylosing spondylitis of lumbar regio

M45.7 Ankylosing spondylitis of lumbosacral region

M45.8 Ankylosing spondylitis sacral and sacrococcygeal region

M45.9 Ankylosing spondylitis of unspecified sites in spine

INDICATION

OPHTHALMOLOGY

Acthar Gel is indicated for severe acute and chronic allergic and inflammatory processes involving the eye and its adnexa such as: keratitis, iritis, iridocyclitis, diffuse posterior uveitis and choroiditis, optic neuritis, chorioretinitis, anterior segment inflammation.

Ophthalmology

B60 12

Keratoconjunctivitis due to acanthamoeba

G36.0 Neuromyelitis optica [devic]

H01.121 Discoid lupus erythematosus of right upper eyelid

H01.122 Discoid lupus erythematosus of right lower eyelid

H01.123 Discoid lupus erythematosus of right eye, unspecified eyelid

H01.124 Discoid lupus erythematosus of left upper eyelid

H01.125 Discoid lupus erythematosus of left lower eyelid

H01.126 Discoid lupus erythematosus of left eye, unspecified eyelid

H01.129 Discoid lupus erythematosus of unspecified eye, unspecified eyelid

H01.8 Other specified inflammations of eyelid

H01.9 Unspecified inflammation of evelid

H04.021 Chronic dacryoadenitis, right lacrimal gland

H04.022 Chronic dacryoadenitis, left lacrimal gland

H04.023 Chronic dacryoadenitis, bilateral lacrimal gland

H04.029 Chronic dacryoadenitis, unspecified lacrimal gland

H04.411 Chronic dacryocystitis of right lacrimal passage

H04.412 Chronic dacryocystitis of left lacrimal passage

H04.413 Chronic dacryocystitis of bilateral lacrimal passages

H04.419 Chronic dacryocystitis of unspecified lacrimal passage

H30.93 Unspecified chorioretinal inflammation, bilateral

H43.89 Other disorders of vitreous body

R59.9 Enlarged lymph nodes, unspecified

Adnexa

H05.00 Unspecified acute inflammation of orbit

H05.041 Tenonitis of right orbit

H05.042 Tenonitis of left orbit

H05.043 Tenonitis of bilateral orbits

H05.049 Tenonitis of unspecified orbit

H05.10 Unspecified chronic inflammatory disorders of orbit

H05.111 Granuloma of right orbit

H05.112 Granuloma of left orbit

H05.113 Granuloma of bilateral orbits

H05.119 Granuloma of unspecified orbit

H05.121 Orbital myositis, right orbit

H05.122 Orbital myositis, left orbit

H05.123 Orbital myositis, bilateral

H05.129 Orbital myositis, unspecified orbit

Uveitis

H20.00 Unspecified acute and subacute iridocyclitis

H20.011 Primary iridocyclitis, right eye

H20.012 Primary iridocyclitis, left eye

H20.013 Primary iridocyclitis, bilateral

H20.019 Primary iridocyclitis, unspecified eye

H20.021 Recurrent acute iridocyclitis, right eye

H20.022 Recurrent acute iridocyclitis, left eye

H20.023 Recurrent acute iridocyclitis, bilateral

H20.029 Recurrent acute iridocyclitis, unspecified eye

H20.041 Secondary noninfectious iridocyclitis, right eye

H20.042 Secondary noninfectious iridocyclitis, left eye

H20.043 Secondary noninfectious iridocyclitis, bilateral

H20.049 Secondary noninfectious iridocyclitis, unspecified eye

H20.051 Hypopyon, right eye

H20.052 Hypopyon, left eye

H20.053 Hypopyon, bilateral

H20.059 Hypopyon, unspecified eve

H20.10 Chronic iridocyclitis, unspecified eye

H20.11 Chronic iridocyclitis, right eye

H20.12 Chronic iridocyclitis, left eye

H20.13 Chronic iridocyclitis, bilateral

H20.821 Vogt-koyanagi syndrome, right eve

H20.822 Vogt-koyanagi syndrome, left eye

H20.823 Vogt-koyanagi syndrome, bilateral

H20.829 Vogt-koyanagi syndrome, unspecified eve

H20.9 Unspecified iridocyclitis

H30.001 Unspecified focal chorioretinal inflammation, right eye

H30.002 Unspecified focal chorioretinal inflammation, left eye

H30.003 Unspecified focal chorioretinal inflammation, bilateral

H30.009 Unspecified focal chorioretinal inflammation, unspecified eye

H30.011 Focal chorioretinal inflammation, juxtapapillary, right eye

SELECT IMPORTANT SAFETY INFORMATION

Warnings and Precautions cont'd

- Acthar can cause gastrointestinal (GI) bleeding and gastric ulcer. There is also an increased risk for perforation in patients with certain GI disorders. Monitor for signs of perforation and bleeding
- Acthar may be associated with central nervous system effects ranging from euphoria, insomnia, irritability, mood swings, personality changes, and severe
 depression to psychosis. Existing conditions may be aggravated
- Patients with comorbid disease may have that disease worsened. Caution should be used when prescribing Acthar in patients with diabetes and myasthenia gravis



*This may not be an exhaustive list.

OPHTHALMOLOGY, Continued

Uveitis, cont'd

H30.012 Focal chorioretinal inflammation, juxtapapillary, left eye

H30.013 Focal chorioretinal inflammation, juxtapapillary, bilateral

H30.019 Focal chorioretinal inflammation, juxtapapillary, unspecified eye

H30.021 Focal chorioretinal inflammation of posterior pole, right eye

H30.022 Focal chorioretinal inflammation of posterior pole, left eye

H30.023 Focal chorioretinal inflammation of posterior pole, bilateral

H30.029 Focal chorioretinal inflammation of posterior pole, unspecified eye

H30.031 Focal chorioretinal inflammation, peripheral, right eye

H30.032 Focal chorioretinal inflammation, peripheral, left eye

H30.033 Focal chorioretinal inflammation, peripheral, bilateral

H30.039 Focal chorioretinal inflammation, peripheral, unspecified eye

H30.041 Focal chorioretinal inflammation, macular or paramacular, right eye

H30.042 Focal chorioretinal inflammation, macular or paramacular, left eye

H30.043 Focal chorioretinal inflammation, macular or paramacular, bilateral H30.049 Focal chorioretinal inflammation, macular or paramacular, unspecified eye

H30.101 Unspecified disseminated chorioretinal inflammation, right eye

H30.102 Unspecified disseminated chorioretinal inflammation, left eye

H30.103 Unspecified disseminated chorioretinal inflammation, bilateral

H30.109 Unspecified disseminated chorioretinal inflammation, unspecified eve

H30.111 Disseminated chorioretinal inflammation of posterior pole, right eye

H30.112 Disseminated chorioretinal inflammation of posterior pole, left eye

H30.113 Disseminated chorioretinal inflammation of posterior pole, bilateral

H30.119 Disseminated chorioretinal inflammation of posterior pole, unspecified eye

H30.121 Disseminated chorioretinal inflammation, peripheral, right eye

H30.122 Disseminated chorioretinal inflammation, peripheral, left eye

H30.123 Disseminated chorioretinal inflammation, peripheral, bilateral

H30.129 Disseminated chorioretinal inflammation, peripheral, unspecified eve

H30.131 Disseminated chorioretinal inflammation, generalized, right eye

H30.132 Disseminated chorioretinal inflammation, generalized. left eve

H30.133 Disseminated chorioretinal inflammation, generalized, bilateral

H30.139 Disseminated chorioretinal inflammation, generalized, unspecified eye

H30.141 Acute posterior multifocal placoid pigment epitheliopathy, right eye

H30.142 Acute posterior multifocal placoid pigment epitheliopathy, left eye

H30.143 Acute posterior multifocal placoid pigment epitheliopathy, bilateral

H30.149 Acute posterior multifocal placoid pigment epitheliopathy, unspecified eye

H30.20 Posterior cyclitis, unspecified eye

H30.21 Posterior cyclitis, right eye

H30.22 Posterior cyclitis, left eye

H30.23 Posterior cyclitis, bilateral

H30.811 Harada's disease, right eye

H30.812 Harada's disease, left eye

H30.813 Harada's disease, bilateral

H30.819 Harada's disease, unspecified eye

H30.891 Other chorioretinal inflammations, right eye

H30.892 Other chorioretinal inflammations, left eye **H30.893** Other chorioretinal inflammations, bilateral

H30.899 Other chorioretinal inflammations, unspecified eye

H30.90 Unspecified chorioretinal inflammation, unspecified eve

H30.91 Unspecified chorioretinal inflammation, right eye

H30.92 Unspecified chorioretinal inflammation, left eye

H35.061 Retinal vasculitis, right eye

H35.062 Retinal vasculitis, left eye

H35.063 Retinal vasculitis, bilateral

H35.069 Retinal vasculitis, unspecified eye

H44.111 Panuveitis, right eye

H44.112 Panuveitis, left eye

H44.113 Panuveitis, bilateral

H44.119 Panuveitis, unspecified eye

H44.131 Sympathetic uveitis, right eye

H44.132 Sympathetic uveitis, left eye

H44.133 Sympathetic uveitis, bilateral

H44.139 Sympathetic uveitis, unspecified eye

H57.8 Other specified disorders of eye and adnexa

Conjunctivitis

H10.10 Acute atopic conjunctivitis, unspecified eye

H10.11 Acute atopic conjunctivitis, right eye

H10.12 Acute atopic conjunctivitis, left eye

H10.13 Acute atopic conjunctivitis, bilateral

H10.401 Unspecified chronic conjunctivitis, right eve

H10.402 Unspecified chronic conjunctivitis, left eye

H10.403 Unspecified chronic conjunctivitis, bilateral

H10.409 Unspecified chronic conjunctivitis, unspecified eye

H10.411 Chronic giant papillary conjunctivitis, right eye

H10.412 Chronic giant papillary conjunctivitis, left eve

H10.413 Chronic giant papillary conjunctivitis, bilateral

H10.419 Chronic giant papillary conjunctivitis, unspecified eye

H10.421 Simple chronic conjunctivitis, right eve

H10.422 Simple chronic conjunctivitis, left eye

H10.423 Simple chronic conjunctivitis, bilateral

H10.429 Simple chronic conjunctivitis, unspecified eve

H10.431 Chronic follicular conjunctivitis, right eye

H10.432 Chronic follicular conjunctivitis, left eye

H10.433 Chronic follicular conjunctivitis, bilateral

H10.439 Chronic follicular conjunctivitis, unspecified eye

H10.44 Vernal conjunctivitis

H10.45 Other chronic allergic conjunctivitis

H10.511 Ligneous conjunctivitis, right eye

H10.512 Ligneous conjunctivitis, left eve

H10.513 Ligneous conjunctivitis, bilateral

H10.519 Ligneous conjunctivitis, unspecified eye

Scleritis

H15.001 Unspecified scleritis, right eye

H15.002 Unspecified scleritis, left eye

H15.003 Unspecified scleritis, bilateral

H15.009 Unspecified scleritis, unspecified eye

H15.011 Anterior scleritis, right eye

H15.012 Anterior scleritis, left eye

H15.013 Anterior scleritis, bilateral

H15.019 Anterior scleritis, unspecified eye

H15.031 Posterior scleritis, right eye
H15.032 Posterior

scleritis, left eye **H15.033** Posterior scleritis, bilateral

H15.039 Posterior scleritis, unspecified eye

SELECT IMPORTANT SAFETY INFORMATION

Warnings and Precautions cont'd

- Prolonged use of Acthar may produce cataracts, glaucoma, and secondary ocular infections. Monitor for signs and symptoms
- Acthar is immunogenic and prolonged administration of Acthar may increase the risk of hypersensitivity reactions. Cases of anaphylaxis have been reported in the postmarketing setting. Neutralizing antibodies with chronic administration may lead to loss of endogenous ACTH and Acthar activity
- There may be an enhanced effect in patients with hypothyroidism and in those with cirrhosis of the liver
- Long-term use may have negative effects on growth and physical development in children. Monitor pediatric patients
- Decrease in bone density may occur. Bone density should be monitored in patients on long-term therapy



*This may not be an exhaustive list.

OPHTHALMOLOGY, Continued

Scleritis, cont'd

H15.041 Scleritis with corneal involvement, right eye

H15.042 Scleritis with corneal involvement, left eye

H15.043 Scleritis with corneal involvement, bilateral

H15.049 Scleritis with corneal involvement, unspecified eye

H15.091 Other scleritis, right eye

H15.092 Other scleritis, left eve

H15.093 Other scleritis, bilateral

H15.099 Other scleritis, unspecified eve

Keratitis

H16.001 Unspecified corneal ulcer, right eye

H16.002 Unspecified corneal ulcer, left eye

H16.003 Unspecified corneal ulcer, bilateral

H16.009 Unspecified corneal ulcer, unspecified eye

H16.011 Central corneal ulcer, right eye

H16.012 Central corneal ulcer. left eve

H16.013 Central corneal ulcer, bilateral

H16.019 Central corneal ulcer, unspecified eye

H16.021 Ring corneal ulcer, right eve

H16.022 Ring corneal ulcer, left eye

H16.023 Ring corneal ulcer, bilateral

H16.029 Ring corneal ulcer, unspecified eye

H16.031 Corneal ulcer with hypopyon, right eye

H16.032 Corneal ulcer with hypopyon, left eye

H16.033 Corneal ulcer with hypopyon, bilateral

H16.039 Corneal ulcer with hypopyon, unspecified eye

H16.041 Marginal corneal ulcer, right eye

H16.042 Marginal corneal ulcer, left eye

H16.043 Marginal corneal ulcer. bilateral

H16.049 Marginal corneal ulcer, unspecified eye

H16.051 Mooren's corneal ulcer, right eye

H16.052 Mooren's corneal ulcer, left eye

H16.053 Mooren's

H16.059 Mooren's corneal ulcer, unspecified eve

H16.071 Perforated corneal ulcer, right eye

H16.072 Perforated corneal ulcer, left eye

H16.073 Perforated corneal ulcer, bilateral

H16.079 Perforated corneal ulcer, unspecified

H16.101 Unspecified superficial keratitis, right eye

H16.102 Unspecified superficial keratitis, left eve

H16.103 Unspecified superficial keratitis, bilateral

H16.109 Unspecified superficial keratitis, unspecified eve

H16.111 Macular keratitis, right eye

H16.112 Macular keratitis, left eye

H16.113 Macular keratitis, bilateral

H16.119 Macular keratitis, unspecified eye

H16.121 Filamentary keratitis, right eye

H16.122 Filamentary keratitis, left eye

H16.123 Filamentary keratitis, bilateral

H16.129 Filamentary keratitis, unspecified eye

H16.141 Punctate keratitis, right eye

H16.142 Punctate keratitis, left eye

H16.143 Punctate keratitis, bilateral

H16.149 Punctate keratitis, unspecified eye

H16.201 Unspecified keratoconjunctivitis, right eye

H16.202 Unspecified keratoconjunctivitis, left eye

H16.203 Unspecified keratoconjunctivitis, bilateral

H16.209 Unspecified keratoconjunctivitis, unspecified eye

H16.221

Keratoconjunctivitis sicca, not specified as sjögren's, right eye

H16.222

Keratoconjunctivitis sicca, not specified as sjögren's, left eye

H16.223

Keratoconjunctivitis sicca, not specified as sjögren's, bilateral

H16.229

Keratoconjunctivitis sicca, not specified as sjögren's, unspecified eye

H16.261 Vernal keratoconjunctivitis, with limbar and corneal involvement, right eye

H16.262 Vernal keratoconjunctivitis, with limbar and corneal involvement, left eye

H16.263 Vernal keratoconjunctivitis, with limbar and corneal involvement, bilateral

H16.269 Vernal keratoconjunctivitis, with limbar and corneal involvement, unspecified

H16.291 Other keratoconjunctivitis, right eye

H16.292 Other keratoconjunctivitis, left eye

H16.293 Other keratoconjunctivitis, bilateral

H16.299 Other keratoconjunctivitis, unspecified eye

H16.301 Unspecified interstitial keratitis, right eve

H16.302 Unspecified interstitial keratitis, left eve

H16.303 Unspecified interstitial keratitis, bilateral

H16.309 Unspecified interstitial keratitis, unspecified eve

H16.321 Diffuse interstitial keratitis, right eve

H16.322 Diffuse interstitial keratitis, left eye

H16.323 Diffuse interstitial keratitis, bilateral

H16.329 Diffuse interstitial keratitis, unspecified eye

H16.331 Sclerosing keratitis, right eye

H16.332 Sclerosing keratitis, left eye H16.333 Sclerosing keratitis, bilateral

H16.339 Sclerosing keratitis, unspecified eye

H16.391 Other interstitial and deep keratitis, right

H16.392 Other interstitial and deep keratitis, left

H16.393 Other interstitial and deep keratitis, bilateral

H16.399 Other interstitial and deep keratitis, unspecified eye

H16.8 Other keratitis

H16.9 Unspecified keratitis

H18.20 Unspecified corneal edema

Optic Neuritis

H46.00 Optic papillitis, unspecified eve

H46.01 Optic papillitis, right eye

H46.02 Optic papillitis, left eve

H46.03 Optic papillitis,

bilateral **H46.10** Retrobulbar

neuritis, unspecified eye
H46.11 Retrobulbar
neuritis, right eye

H46.12 Retrobulbar neuritis, left eye

H46.13 Retrobulbar neuritis, bilateral

H46.8 Other optic neuritis

H46.9 Unspecified optic neuritis

H47.011 Ischemic optic neuropathy, right eye

H47.012 Ischemic optic neuropathy, left eye

H47.013 Ischemic optic neuropathy, bilateral

H47.019 Ischemic optic neuropathy, unspecified eve

Pemphigoid

L12.1 Cicatricial pemphigoid

SELECT IMPORTANT SAFETY INFORMATION

Adverse Reactions

- Commonly reported postmarketing adverse reactions for Acthar include injection site reaction, asthenic conditions (including fatigue, malaise, asthenia, and lethargy), fluid retention (including peripheral swelling), insomnia, headache, and blood glucose increased
- The most common adverse reactions for the treatment of infantile spasms (IS) are increased risk of infections, convulsions, hypertension, irritability, and pyrexia. Some patients with IS progress to other forms of seizures; IS sometimes masks these seizures, which may become visible once the clinical spasms from IS resolve



*This may not be an exhaustive list.

INDICATION

Acthar Gel is indicated to induce a diuresis or a remission of proteinuria in nephrotic syndrome without uremia of the idiopathic type or that due to lupus erythematosus.

Nephrology

M32.14 Glomerular disease in systemic lupus erythematosus

M32.15 Tubulo-interstitial nephropathy in systemic lupus erythematosus

N00.2 Acute nephritic syndrome with diffuse membranous glomerulonephritis

N02.8 Recurrent and persistent hematuria with other morphologic changes

N03.2 Chronic nephritic syndrome with diffuse membranous glomerulonephritis

N04.0 Nephrotic syndrome with minor alomerular abnormality

N04.1 Nephrotic syndrome with focal and segmental glomerular lesions

N04.2 Nephrotic syndrome with diffuse membranous glomerulonephritis

N04.3 Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis

N04.4 Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis

N04.5 Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis

N04.6 Nephrotic syndrome with dense deposit disease

N04.7 Nephrotic syndrome with diffuse crescentic glomerulonephritis

N04.8 Nephrotic

syndrome with other

morphologic changes

N04.9 Nephrotic syndrome with unspecified morphologic changes

N05.0 Unspecified nephritic syndrome with minor glomerular abnormality

N05.1 Unspecified nephritic syndrome with focal and segmental glomerular lesions

N05.2 Unspecified nephritic syndrome with diffuse membranous glomerulonephritis

N05.3 Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritis

N05.4 Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis

N05.5 Unspecified nephritic syndrome with diffuse mesangiocapillary alomerulonephritis

N05.6 Unspecified nephritic syndrome with dense deposit disease

N05.7 Unspecified nephritic syndrome with diffuse crescentic glomerulonephritis

N05.8 Unspecified nephritic syndrome with other morphologic changes

N05.9 Unspecified nephritic syndrome with unspecified morphologic changes

R80.9 Proteinuria, unspecified

SARCOIDOSIS

INDICATION

Acthar Gel is indicated for symptomatic sarcoidosis.

Sarcoidosis

D86 Sarcoidosis

D86.0 Sarcoidosis of lung

D86.1 Sarcoidosis of lymph nodes

D86.2 Sarcoidosis of lung with sarcoidosis of lymph nodes

D86.3 Sarcoidosis of skin

D86.8 Sarcoid of other

D86.81 Sarcoid meningitis

D86.82 Multiple cranial nerve palsies in sarcoidosis

D86.83 Sarcoid iridocyclitis

D86.84 Sarcoid pyelonephritis

D86.85 Sarcoid myocarditis

D86.86 Sarcoid arthropathy

D86.87 Sarcoid myositis

D86.89 Sarcoidosis of other sites

D86.9 Sarcoidosis, unspecified

NEUROLOGY - INFANTILE SPASMS

INDICATION

Acthar Gel is indicated as monotherapy for the treatment of infantile spasms in infants and children under 2 years of age.

Infantile Spasms

G40.821 Epileptic spasms, not intractable, with status epilepticus

G40.822 Epileptic spasms, not intractable, without status epilepticus G40.823 Epileptic spasms, intractable, with status epilepticus

G40.824 Epileptic spasms, intractable, without status epilepticus

NEUROLOGY - MULTIPLE SCLEROSIS

INDICATION

Acthar Gel is indicated for the treatment of acute exacerbations of multiple sclerosis in adults. Controlled clinical trials have shown Acthar to be effective in speeding the resolution of acute exacerbations of multiple sclerosis. However, there is no evidence that it affects the ultimate outcome or natural history of the disease.

Multiple Sclerosis

G35 Multiple sclerosis

H46.8 Other optic neuritis

SELECT IMPORTANT SAFETY INFORMATION

Pregnancy

Acthar may cause fetal harm when administered to a pregnant woman

Mallinckrodt, the "M" brand mark and the Mallinckrodt Pharmaceuticals logo are trademarks of a Mallinckrodt company. Other brands are trademarks of a Mallinckrodt company or their respective owners. © 2023 Mallinckrodt. US-2300683 11/23

